

MOUSE BLOW GUN WITH SAFETY PIPE



AIRSET[®] MOUSE

Cod. MSE H3 1004

Special pipe with side ventilation: prevents pressure exceeding 30 PSI (2 Bar) if the tip becomes blocked (conforms with OSHA Std 1-13.1). Also, blow gun adopts an angled stainless steel nozzle, designed for professional industrial use. Nozzle construction guarantees resistance to wear; at the same time, stainless steel is resistant to corrosion and chemicals.

Grip

Blow gun can be operated in vertical, for top air connection. Grip and handle are designed for vertical air supply connection. This offers the best safety and ergonomics for these applications; especially when repetitive use occurs.

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.

TECHNICAL DATA SHEET

Blowing force (with a 6bar - 90psi inlet)	2,5 N
Air consumption (with a 6bar - 90psi inlet)	275 l/m - 9.7 scfm
Sound level (with a 6bar - 90psi inlet)	83 dB(A)
Connection	1/4" BSP
Weight	136 g - 0.30 lbs
Working temperature	-10°/70° - 14/158 °F
Max. Pressure	10 Bar - 145 psi
Nozzle length	123 mm - 5"

MATERIALS

Handle	Acetal
Thread	Brass
Valve	Acetal and stainless steel
Body	Acetal
Nozzle	Stainless steel

VERSIONS

Code	Description	Connection
MSE H3 1004	Airset Mouse L130 Osha BSP	1/4" BSP
MSE H3 1005	Airset Mouse L130 Osha NPT	1/4" NPT

REGULATIONS

EU 2003/10/CE Max. 85 dB
OSHA 1910.95 (b) Max. 90 dB 8h
OSHA STD 1-13.1 Max. 2 bar / 30 psi if the tip becomes blocked

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.