

# Tucano Blow Anti scratch - Blow gun, spiral hose, quick coupling and plug kit



AIRSET®

**Code KPAN PS40 56E74**

**Professional** Airset Tucano Blow Anti-Scratch gun, with rubber nozzle that **protects surfaces from scratches**. Complete with **95 Shore polyurethane spiral hose**, **AT240 safety quick coupling** and plug. The nozzle is designed for **delicate applications**, such as car cleaning or drying sensitive parts, where the surface must **not be damaged**.

Suitable for connection with **European profile DN 7.4 quick couplings and plugs**.

**Ready-to-use kit**, no need to screw the hose onto the compressor system. **The connection to compressed air is made via a quick coupling**. It consists of a 95 Shore polyurethane coiled hose assembled with a blow gun with plug, **AT240 safety quick coupling** and plug. **If the system is not equipped with a quick coupling, an additional one can be requested**.

## Safety quick coupling

AT 240 has been designed with a **two-stage safety exhaust function**: two movements. Before disconnection, the **pressure is released, eliminating the whiplash effect** that can be harmful to the operator, and **reducing noise** during disconnection. **This also prevents accidental uncoupling of the coupling**.

## Kit features

- Blow gun with bent stainless steel tube, suitable for harsh environments and extreme conditions.
- Spiral hose made of 95 Shore polyurethane; with **plastic anti-kink spring: no scratches** on contact surfaces
- **Safety quick coupling** included. For **quick connection** of the blow gun or to connect other tools
- 2 plugs included: one on the gun to connect to the coupling, the other at the end of the hose to **connect to the system**
- Coiled hose **available in different lengths and diameters**
- Possibility to **customize** the kit with customer colors.

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.

**SPIRAL HOSE MATERIALS**

Hose	<b>Polyurethane (PU)</b>
Spring	<b>Plastic</b>
Fittings	<b>Brass</b>
O-rings	<b>NBR</b>

**BLOW GUN MATERIALS**

Trigger	<b>Nylon and rubber</b>
Connection	<b>Brass</b>
Valve	<b>Acetal</b>
Body	<b>Nylon</b>
Nozzle	<b>Nylon and rubber</b>

**QUICK COUPLING MATERIALS**

Thread	<b>Brass</b>
Metal parts	<b>Stainless steel</b>
Body	<b>Technopolymer</b>
Seals	<b>NBR</b>

**TECHNICAL DATA SHEET**

Operating temperature	<b>-10°/70° - 14/158 °F</b>
Maximum inlet pressure	<b>10 Bar - 145 psi</b>
Connection	<b>European profile DN 7.4</b>
Blowing force (at 6 bar inlet)	<b>2.3 N</b>
Air consumption (at 6 bar inlet)	<b>275 l/m - 9.7 scfm</b>
Sound level (at 6 bar inlet)	<b>83 dB(A)</b>

**VERSIONS**

<b>Code</b>	<b>Description</b>	<b>Color</b>	<b>Connection</b>	<b>Hose Ø</b>	<b>Hose length</b>
-------------	--------------------	--------------	-------------------	-------------------	------------------------

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.

---

KPAN PS40	Airset Tucano Blow Anti-Scratch Kit	Black	European profile	5x8	4 m - 13
56E74	5x8 - 4 m AT240 EU		DN 7.4	mm	ft

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.