

AP 40L 110V ELECTRIC PUMP WITH ANTI SIPHON VALVE



CARBUSETTM
POMPE ELETTRICHE AP 40L

Cod. APL 40L3

AP 40L electric pump offers a built-in anti-siphon valve. 2 meters power cables with Type A plug (USA) 110 VAC. AP 40L is a centrifugal pump. Suitable for barrel or tank transfer. **Can transfer different liquids such as water, anti-freeze, diesel, motor oil.**

Anti-siphon system

AP 40L adopts a valve which is designed to **prevent siphoning of liquid from an aboveground drum to the delivery hose installed at a lower level.**

Safe

AP 40L pump offers a **motor with double insulated body, this makes the pump robust and durable.** Moreover, **double insulation allows water and emulsion transferring in complete safety.** AP 40L pump has IPX4 (protection against splashing water) and CE marking.

Complete kit

AP 40L pump comes in a **complete kit: ready to use!** Kit is composed of a telescopic suction tube with filter (adjustable from 330 to 970 mm high), delivery hose, manual dispensing nozzle and 2 meters power cables with 2 meters Type A plug (USA) 110 VAC. Pump offers a built-in drum connection with 2" BSP.

Features

- Pump offers a 2" BSP connection
- **Can be easily installed or removed thanks to a quick coupling system**
- Pump can be rotated in 10 different positions
- Side handle works as a cable storage
- Nozzle hanger: keeps hose within reach and off the floor
- **Available with AL 100 digital flow meter**

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.

TECHNICAL DATA SHEET

Code	APL 40L3
Voltage	110 V
Frequency	60 Hz
Current type	AC
Absorbed power	320 W
Absorption	2,9 A
Insulation category	II
Flow rate	40 l/m - 10,5 gpm
Discharge head	1 m
Sound level	70 dB
Operating temperature	-10°C + 40°C / 14 °F to 104 °F

MATERIALS

Pump	Acetal
Dispensing nozzle	Acetal
Telescopic suction tube	Polypropylene
Delivery hose	Rubber
Metal parts	Stainless steel

EQUIPMENT SUPPLIED

Pump
N° 2 Clamps
Telescopic suction tube with filter
Manual dispensing nozzle
2,5 m (8 ft) Delivery hose
Drum connection 2" BSP
2 m (6 ft) power cables with Type A plug (USA) 110 VAC

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.

VERSIONS

Code	Description
APL 40L3	Pump AP 40L 110v
APL 40L350	Pump AP 40L 110v + Flow meter AL 100

Attenzione : il produttore si riserva il diritto di modificare le caratteristiche del prodotto in qualsiasi momento e senza preavviso.